

NewLath 805 Mesh Membrane

Damp Proofing Membrane & Plaster Base

Revision: 3.0 - 31st May 2022
Code: M9



EN 13967:2012 + A1:2017

DECLARATION OF PERFORMANCE

According to Annex III of the Regulation (EU) No. 305/2011

1. UNIQUE IDENTIFICATION CODES OF THE PRODUCT TYPE:

Newton NewLath 805 Mesh Membrane - M9 1.2m x 10m

2. INTENDED USE/S:

Waterproofing sheet for damp proof sheets, type V.

3. MANUFACTURER:

Newton Waterproofing Systems (A trading name of John Newton & Company Ltd)
Newton House
17-19 Sovereign Way
Tonbridge
Kent
TN9 1RH
United Kingdom

4. AVCP:

System 2+

5. NOTIFIED BODY:

In case of the DoP concerning a construction product covered by the harmonized standard:

BS EN 13967 : 2012 + A1 : 2017

Initial type test report: British Board of Agrément test report 63213.

Notified body British Board of Agrément performed the initial inspection of the manufacturing plant and of factory production control (0836-CPR-18/F440) and the continuous surveillance assessment and evaluation of FPC and issued the certificate of conformity of the FPC no.

NewLath 805 Mesh Membrane

Damp Proofing Membrane & Plaster Base

6. DECLARED PERFORMANCE:

ESSENTIAL CHARACTERISTICS	PERFORMANCE	TEST STANDARD	HARMONISED TECHNICAL SPECIFICATION
Water tightness, 60 kPa; 24h	Pass	EN 1928	EN 13967: 2012 + A1 : 2017
Resistance to tearing	MD - NPD CMD - NPD	EN 12310-1	
Elongation (5%)	MD - NPD CMD - NPD	EN 12311-2	
Compressive creep (resistance to static load)	NPD	EN 13967 Annex B	
Impact resistance	NPD	EN12691-2 Method A	
Durability against ageing	NPD	EN 1296 / EN 1928	
Durability against chemicals	NPD	EN 1926 / EN 1928	
Fire resistance	E	EN 13501-1:2007+A1:2009	
Joint tensile shear resistance		EN 12317-2	
Compressive strength	250 kN	BS EN ISO 25619-2	

7. APPROPRIATE TECHNICAL DOCUMENTATION AND/OR SPECIFIC TECHNICAL DOCUMENTATION:

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name: Warren Muschialli - Managing Director

At: Newton Waterproofing Systems
Newton House
17-20 Sovereign Way
Tonbridge
Kent
TN9 1RH



Date: 7th June 2022

Signature:



NewLath 805 Mesh Membrane

Damp Proofing Membrane & Plaster Base

		<p>Newton Waterproofing Systems Newton House 17-20 Sovereign Way Tonbridge Kent TN9 1RH</p>	<p>M9 BS EN 13967:2012 Waterproofing sheet for damp proof sheets, type V.</p>	
Essential characteristics to EN 13967: 2012 + A1 : 2017		Test Standard & Conditions	Result	Unit of measure
Water tightness, 60 kPa; 24h		EN 1928	Pass	
Resistance to tearing		EN 12310-1	MD - NPD CMD - NPD	
Elongation (5%)		EN 12311-2	MD - NPD CMD - NPD	
Compressive creep (resistance to static load)		EN 13967 Annex B	NPD	
Impact resistance		EN12691-2 Method A	NPD	
Durability against ageing		EN 1296 / EN 1928	NPD	
Durability against chemicals		EN 1926 / EN 1928	NPD	
Fire resistance		EN 13501-1:2007+A1:2009	E	
Joint tensile shear resistance		EN 12317-2		
Compressive strength		BS EN ISO 25619-2	250	kN

Newton Waterproofing Systems reserve the right to update product literature at any time. Please always refer to our [website](#) for the latest versions.